

9300# GROSS WEIGHT

BHP/ENG.	R.P.M.	MAN. PR.	ALTITUDE	SPEED	S.F.C.	TOTAL FUEL CON. IN GAL. PER HR.	MILES PER GAL.	HR/GAL.
350	1950	285 "Hg	0 '	174 mph.	0.46"/BHP.HR.	53.6	3.24	.0186
	1950	265	5,000	181	0.46	53.6	3.37	.0186
	1950	24.6	10,000	189	0.46	53.6	3.52	.0186
300	1800	27.8	0	164	0.465	46.5	3.52	.0215
	1800	25.8	5,000	170	0.465	46.5	3.66	.0215
	1800	23.7	10,000	177	0.465	46.5	3.80	.0215
250	1700	26.6	0	151	0.47	39.2	3.85	.0255
	1700	24.5	5,000	157	0.47	39.2	4.00	.0255
	1700	22.5	10,000	162	0.47	39.2	4.14	.0255
200	1700	24.5	0	135	0.515	34.3	3.93	.0291
	1700	22.5	5,000	139	0.515	34.3	4.05	.0291
	1700	20.5	10,000	143	0.515	34.3	4.17	.0291

12,900# GROSS WEIGHT

350	1950	28.5	0	165	0.46	53.6	3.07	.0186
	1950	26.5	5,000	170	0.46	53.6	3.17	.0186
	1950	24.6	10,000	175	0.46	53.6	3.26	.0186
300	1800	27.8	0	152	0.465	46.5	3.27	.0215
	1800	25.8	5,000	156	0.465	46.5	3.36	.0215
	1800	23.8	10,000	158	0.465	46.5	3.40	.0215
250	1700	26.6	0	133	0.47	39.2	3.39	.0255
	1700	24.5	5,000	133	0.47	39.2	3.39	.0255
	1700	22.5	10,000	-	-	-	-	-

16,500# GROSS WEIGHT

350	1950	28.5	0	144	0.46	53.6	2.68	.0186
	1950	26.5	5,000	128	0.46	53.6	2.38	.0186
	1950	24.6	10,000	-	-	-	-	-
400	2100	29.5	0	162	0.465	62.0	2.61	.0161
	2100	27.2	5,000	164	0.465	62.0	2.65	.0161
	2100	25.5	10,000	159	0.465	62.0	2.56	.0161
350	1950	27.5	2,500	141	0.46	53.6	2.63	.0186
400	2100	28.5	2,500	163	0.465	62.0	2.63	.0161
375	2100	28.5	0	153	0.46	57.5	2.66	.0174
	2100	26.5	5,000	151	0.46	57.5	2.62	.0174
	2100	24.5	10,000	143	0.46	57.5	2.48	.0174